



C - PS




C - GGC



C - FSV



C - TMBV



C - FBV



C - CBV




C - MMBV



C - FWBV



C - BFV



C - DOV



C - TOV



C - CPS

NEWAY

:C-PGV-2025

NEWAY


666

0512-666-21954

Domestic.sales@neway.com.cn

<https://www.neway.com.cn/>


:C-PGV-2025



NORSOK

ISO9001

CE/PED



ABS

TA Luft

AD2000

1

1

3

1

230,000

1

Ansys Fe-safe CF-design Siemens PLM NX

SAP

ISO API

ISO 9001

, API 6A, API 6D, API 600

CE-PED

AD2000

TA-Luft,

API 624, ISO 15848


API 607, API 6FA




60%。

/ /







- | | | | | | | | | | |
|----|-----|----|----|-----|-----|-----|--------------|-----|------|
| 1. | 3. | 5. | 7. | 9. | 11. | 13. | 15. | 17. | 19. |
| • | • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | • | • |
| | | | | | | | | | |
| 2. | 4. | 6. | 8. | 10. | 12. | 14. | 1 .
(SCR) | 18. | 1-19 |
| • | • | • | • | • | • | • | • | • | • |
| • | • / | • | • | • | • | • | • | • / | • |
| • | • | • | • | • | • | • | • | • | |
| • | • / | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | |



- | | | | | | | | | | | | |
|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|------|
| 1. | 3. | 5. | 7. | 9. | 11. | 13. | 15. | 17. | 19. | 24. | 26. |
| • | • | • | • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | • | | • | • |
| • | • | • | • | • | • | • | • | • | | • | • |
| • | • | • | • | • | • | • | • | • | | • | • |
| | • | • | • | • | • | • | | • | 20. | • | • |
| | • | • | • | • | | • | | • | | • | |
| | | | | | | | | | | | |
| 2. | 4. | 6. | 8. | 10. | 12. | 14. | 16. | 18. | 21. | 25. | 27. |
| • | • | • | • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | • | | • | • |
| • | • | • | • | • | • | • | • | • | | | • |
| • | • | • | • | • | • | • | • | • | | | • |
| • | • | • | • | • | • | • | • | • | 22. | | • |
| | • | • | • | • | • | • | | • | | | |
| | | | | | | • | | • | | | |
| | | | | | | • | | • | 23. | | 1-27 |
| | | | | | | • | | • | | | • |



- | | | | |
|------------------------|------------------------|------------------------|------------------------|
| 1.
•
•
• | 3.
•
•
•
• | 5.
•
•
•
• | 7.
•
•
• |
| 2.
•
•
•
• | 4.
•
•
•
• | 6.
•
•
•
• | 8.
•
•
•
• |



- | | | | | |
|------------------------|--------------------------|------------------------|-------------------------|--------------------|
| 1.
•
•
• | 4.高压
•
•
•
• | 7.
•
•
• | 10.
•
•
•
• | 13.
•
•
• |
| 2.
•
•
•
• | 5.
•
•
•
• | 8.
•
•
•
• | 11.
•
• | 14.
•
•
• |
| 3.
•
•
•
• | 6.
•
•
•
• | 9.
•
•
•
• | 12.
•
•
• | |



2"~30"(DN50~DN750)
CLASS900~CLASS 4500(PN150~PN760)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-
-

2"~28"(DN50~DN700)
CLASS 300~CLASS 4500(PN50~PN760)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

- Class 300~600:
- Class 900~4500:
-
-
-
-
-
-



2"~24"(DN50~DN600)

CLASS 300~CLASS 4500(PN50~PN760)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-

API6D

1/2"~2-1/2"(DN15~DN65)
CLASS 1500~CLASS 4500(PN250~PN760)
A105/F11/F22/F36/F91/F92/F304/F304L/F304H/F316/ F316L/F316H/F321/F347

-
- CLASS>1700lb
-
-





1/2"~24"(DN15~DN600)

CLASS900~CLASS 4500(PN20~PN760)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347


•
•
•
•
•

WCB / WC6 / WC9 / C12A / CF3M / CF8M

3"~60"(DN80~DN1500)

CLASS 150~CLASS 600(PN20~PN110)


WCB/WC6/WC9/C12A/CF3M/CF8M



ISO 15848

API 607

3




6"~42"(DN150~DN1050)


CLASS 150~CLASS 2500(PN20~PN420)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

 $\leq 1s)$,

<80°C.






2"~24"(DN50~DN600)

CLASS 900~CLASS 3500(PN150~PN600)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347


•
•
•
•
•



•

+

+



1/2"~2"(DN15~DN50)

CLASS 150~CLASS 1500(PN20~PN250)

A105/F11/F22/F36/F91/F92/F304/F304L/F304H/F316/
F316L/F316H/F321/F347

• • • • •

4"~8"(DN100~DN200)

CLASS 150~CLASS 900(PN20~PN150)

WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/
F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

.....






3/4"~4"(DN20~DN100)
CLASS 600~CLASS 2500(PN110~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

3/4"~16"(DN20~DN400)
CLASS 150~CLASS 2500(PN20~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347



-
-
-
-
-
-
-
-
-
-



2"~8"(DN50~DN200)
CLASS 900~CLASS 2500(PN150~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-
-
-
-
-
-
-
-

1-1/2"~6"(DN45~DN150)
CLASS 300~CLASS 2500(PN50~PN420)
WCB/WC6/WC9/C12A/CF3M/CF8M/A105/F11/F22/F36/F91/ F92/F304/F304L/F304H/F316/F316L/F316H/F321/F347

-
-
-











/

WCB/A105	-29 ~425
F36	-29 ~480
WC6/F11	-29 ~540
WC9/F22	-29 ~570
C12A/F91	-29 ~600
F92	-29 ~620
F304L/F316L	-29 ~425
CF3M/CF8M/F304/F316/F321/F347	-29 ~538
F304H/F316H	-29 ~650

Cv

Cv




PMI、

RT)、

MT)、

UT)、



3D



NHO分析

DR



-196

RT



成立于2014年

2,295



230,000
140,061

2006
2013



2008
2015

112,500
98,000



2008

40, 000
20,000



2017

3,000 /
30,000



2020

30,000
19,000 ()
7,000 ()

： 18 12 ()，
；
'
'
'
'